



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/695,232

10/28/2003

William Joseph Semper

2003.10.001.WS0

4956

23990

7590

03/24/2008

DOCKET CLERK

P.O. DRAWER 800889

DALLAS, TX 75380

EXAMINER

HASHEM, LISA

ART UNIT

PAPER NUMBER

2614

MAIL DATE

DELIVERY MODE

03/24/2008

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

<b>Office Action Summary</b>	<b>Application No.</b> 10/695,232	<b>Applicant(s)</b> SEMPER, WILLIAM JOSEPH	
	<b>Examiner</b> LISA HASHEM	<b>Art Unit</b> 2614	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 13 December 2007.
- 2a) ☒ This action is **FINAL**.                      2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-23 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-23 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 13 December 2007 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)          | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____                                      |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)          | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____  | 6) <input type="checkbox"/> Other: _____                          |

## **FINAL DETAILED ACTION**

### ***Response to Arguments***

1. Applicant's arguments with respect to claims 1-23 have been considered but are moot in view of the new ground(s) of rejection.

### ***Claim Objections***

2. Claims 4 and 16 are objected to because of the following informalities: the acronym 'CM' is not defined and spelled out to clearly define what CM means. Appropriate correction is required.

### ***Claim Rejections - 35 USC § 103***

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claims 1-6 and 13-18 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Pat. No. 6,317,609 by Alperovich et al, hereinafter Alperovich, in view of U.S. Pat. No. 7,002,959 by Suzuki et al, hereinafter Suzuki.

Regarding claim 1, Alperovich discloses a wireless network (Fig. 4) for providing a packet data call connection between a source mobile station (MS) (Fig. 4, 20a) and a destination mobile station (MS) (Fig. 4, 20b) in a coverage area of said wireless network, said wireless network comprising: a first base station (Fig. 4: 23a, 24a) capable of wirelessly communicating with said source mobile station; a second base station (Fig. 4: 23b, 24b) capable of wirelessly communicating with said destination mobile station; and a mobile switching center (Fig. 4, 14b)

Art Unit: 2614

capable of connecting said first and second base stations, wherein said first base station is capable of receiving a first message from said source mobile station requesting an MS-MS packet data call connection to said destination mobile station (col. 5, lines 2-9) and, in response to said first message, said first base station initiates establishment of said MS-MS packet data call connection on a local (Internet Protocol) IP network (Fig. 4, 230) coupling said first and second base stations (col. 5, lines 30-57).

Alperovich discloses an IP network coupling said first and second base stations. However, Alperovich does not disclose transmitting an IP address of the first base station to a second base station.

Suzuki discloses a wireless network (Fig. 1) for providing a packet data call connection between a source mobile station (MS) (Fig. 7A, 40) and a destination station (Fig. 7B, 37) in a coverage area of said wireless network (col. 4, lines 26-47; col. 7, lines 10-15), said wireless network comprising: a first base station (Fig. 7A, 50) capable of wirelessly communicating with said source mobile station (col. 7, lines 10-15); a second base station (Fig. 7B, 21) capable of wirelessly communicating with said destination station (col. 7, lines 26-32); and a BS network (Fig. 7A, 20) capable of connecting said first and second base stations (col. 7, lines 26-28), wherein said first base station is capable of receiving a first message from said source mobile station requesting an MS-MS packet data call connection to said destination station (col. 7, lines 15-25) and, in response to said first message, said first base station initiates establishment of said MS-MS packet data call connection on a local (Internet Protocol) IP network (Fig. 7B, 130) coupling said first and second base stations by transmitting an IP address of said first base station (i.e. source address: B01/H01) (col. 7, lines 10-21).

Again, Alperovich discloses the claimed wireless network except Alperovich does not disclose transmitting an IP address of the first base station to a second base station. However, Suzuki teaches the claimed feature.

It would have been obvious to one of the ordinary skill in the art at the time the invention was made to modify the wireless network of Alperovich to include transmitting an IP address of the first base station to a second base station as taught by Suzuki. One of ordinary skill in the art would have been lead to make such a modification of Alperovich to transmit an IP address of a first base station, such as the IP address of Suzuki, to the second base station of Alperovich so the first base station that is connected to the source mobile station is clearly identified in a wireless network to set up communication between source and destination.

Regarding claim 2, the wireless network as set forth in Claim 1, wherein Alperovich discloses said first message comprises an Origination message having a service option field indicating that said MS-MS packet data call connection is requested (col. 5, lines 2-9).

Regarding claim 3, the wireless network as set forth in Claim 1, wherein Alperovich discloses said first base station responds to said first message by transmitting a second message to said mobile switching center, said second message indicating that said MS-MS packet data call connection to said destination mobile station is requested (col. 5, lines 10-57).

Regarding claim 4, the wireless network as set forth in Claim 3, wherein Alperovich in view of Suzuki discloses said second message comprises a CM Service Request message containing said service option indicating that said MS-MS packet data call connection is requested and containing a phone number associated with said destination mobile station and

said IP address of said first base station (Alperovich: Fig. 4: 358, 428; col. 5, lines 10-57; Suzuki: col. 7, lines 10-21).

Regarding claim 5, the wireless network as set forth in Claim 3, wherein Alperovich discloses said mobile switching center responds to said second message by transmitting a third message to said second base station, said third message indicating that said MS-MS packet data call connection is requested (col. 6, lines 21-33).

Regarding claim 6, the wireless network as set forth in Claim 5, wherein Alperovich discloses said third message is a Paging Request message (col. 6, lines 21-33).

Regarding claim 13, Alperovich discloses for use in a wireless network (Fig. 4) comprising:

- i) a first base station (Fig. 4: 23a, 24a) that wirelessly communicates with a source mobile station (MS) (Fig. 4, 20a),
- ii) a second base station (Fig. 4: 23b, 24b) that wirelessly communicates with a destination mobile station (MS) (Fig. 4, 20b), and
- iii) a mobile switching center (Fig. 4, 14b) that connects the first and second base stations, a method of providing a MS-MS packet data call connection between the source mobile station and the destination mobile station comprising the steps of:
  - in the first base station, receiving a first message from the source mobile station requesting a MS-MS packet data call connection to the destination mobile station (col. 5, lines 2-9); in response to the first message, establishing the MS-MS packet data call connection on a local

Internet Protocol (IP) network (Fig. 4, 230) coupling the first and second base stations (col. 5, lines 30-57).

Alperovich discloses an IP network coupling said first and second base stations.

However, Alperovich does not disclose transmitting an IP address of the first base station to a second base station.

Suzuki discloses a method for providing a packet data call connection between a source mobile station (MS) (Fig. 7A, 40) and a destination station (Fig. 7B, 37) in a coverage area of a wireless network (Fig. 1) (col. 4, lines 26-47; col. 7, lines 10-15), said method comprising: a first base station (Fig. 7A, 50) capable of wirelessly communicating with said source mobile station (col. 7, lines 10-15); a second base station (Fig. 7B, 21) capable of wirelessly communicating with said destination station (col. 7, lines 26-32); and a BS network (Fig. 7A, 20) capable of connecting said first and second base stations (col. 7, lines 26-28); in the first base station, receiving a first message from said source mobile station requesting a MS-MS packet data call connection to the destination station (col. 7, lines 15-25); in response to the first message, establishing the MS-MS packet data call connection on a local (Internet Protocol) IP network (Fig. 7B, 130) coupling the first and second base stations by transmitting an IP address of said first base station (i.e. source address: B01/H01) (col. 7, lines 10-21).

Again, Alperovich discloses the claimed method except Alperovich does not disclose transmitting an IP address of the first base station to a second base station. However, Suzuki teaches the claimed feature.

It would have been obvious to one of the ordinary skill in the art at the time the invention was made to modify the method of Alperovich to include transmitting an IP address of the first base station to a second base station as taught by Suzuki. One of ordinary skill in the art would have been lead to make such a modification of Alperovich to transmit an IP address of a first base station, such as the IP address of Suzuki, to the second base station of Alperovich so the first base station that is connected to the source mobile station is clearly identified in a wireless network to set up communication between source and destination.

Regarding claim 14, the method as set forth in Claim 13, wherein Alperovich discloses the first message comprises an Origination message having a service option field indicating that the MS-MS packet data call connection is requested (col. 5, lines 2-9).

Regarding claim 15, the method as set forth in Claim 13, wherein Alperovich discloses further comprising the step of transmitting a second message from the first base station to the mobile switching center, the second message indicating that the MS-MS packet data call connection to the destination mobile station is requested (col. 5, lines 10-57).

Regarding claim 16, the method as set forth in Claim 15, wherein Alperovich discloses the second message comprises a CM Service Request message containing the service option indicating that the MS-MS packet data call connection is requested and containing a phone number associated with the destination mobile station (Fig. 4: 358, 428; col. 5, lines 10-57).

Regarding claim 17, the method as set forth in Claim 15, wherein Alperovich discloses further comprising the step of transmitting a third message from the mobile switching



center to the second base station in response to the second message, the third message indicating that the MS-MS packet data call connection is requested (col. 6, lines 21-33).

Regarding claim 18, the method as set forth in Claim 17, wherein Alperovich discloses the third message is a Paging Request message (col. 6, lines 21-33).

5. Claims 7-12 and 19-23 are rejected under 35 U.S.C. 103(a) as being unpatentable over Alperovich in view of Suzuki, as applied to claims 1 and 13, respectively, and in view of U.S. Pat. Appl. Publ. 2003/0119518 by Cleveland et al, hereinafter Cleveland.

6. The applied reference (Cleveland) has a common assignee with the instant application. Based upon the earlier effective U.S. filing date of the reference, it constitutes prior art only under 35 U.S.C. 102(e). This rejection under 35 U.S.C. 103(a) might be overcome by: (1) a showing under 37 CFR 1.132 that any invention disclosed but not claimed in the reference was derived from the inventor of this application and is thus not an invention "by another"; (2) a showing of a date of invention for the claimed subject matter of the application which corresponds to subject matter disclosed but not claimed in the reference, prior to the effective U.S. filing date of the reference under 37 CFR 1.131; or (3) an oath or declaration under 37 CFR 1.130 stating that the application and reference are currently owned by the same party and that the inventor named in the application is the prior inventor under 35 U.S.C. 104, together with a terminal disclaimer in accordance with 37 CFR 1.321(c). This rejection might also be overcome by showing that the reference is disqualified under 35 U.S.C. 103(c) as prior art in a rejection under 35 U.S.C. 103(a). See MPEP § 706.02(l)(1) and § 706.02(l)(2).

Regarding claim 7, the wireless network as set forth in Claim 7, wherein Alperovich discloses said second base station responds to said third message by transmitting a fourth message to said mobile switching center (col. 6, lines 27-35).

Alperovich in view of Suzuki do not disclose said fourth message containing an IP address of said second base station on said local IP network.

Cleveland discloses a wireless network (Fig. 1; Fig. 5) for providing a packet data call connection between a source mobile station (MS) and a destination mobile station (MS) (Fig. 5, 111) in a coverage area of said wireless network, said wireless network comprising:  
a second base station (Fig. 5, 101) capable of wirelessly communicating with  
said destination mobile station (Fig. 5, 111); and  
a mobile switching center (Fig. 5, MSC); receiving a first message from said source mobile station requesting an MS-MS packet data call connection to said destination mobile station (section 0026; 0068).

Transmitting a second message to said mobile switching center, said second message indicating that said MS-MS packet data call connection to said destination mobile station is requested (section 0068).

Wherein said mobile switching center responds to said second message by transmitting a third message to said second base station, said third message indicating that said MS-MS packet data call connection is requested (section 0068-0069).

Wherein said second base station responds to said third message by transmitting a fourth message to said mobile switching center, said

fourth message containing an IP address of said second base station  
on said local IP network (section 0070-0072).

It would have been obvious to one of the ordinary skill in the art at the time the invention was made to modify the wireless network of Alperovich in view of Suzuki to include said fourth message containing an IP address of said second base station on said local IP network including as taught by Cleveland. One of ordinary skill in the art would have been lead to make such a modification to identify an IP address of said second base station that is a node on the IP network.

Regarding claim 8, the wireless network as set forth in Claim 7, wherein Alperovich discloses said fourth message comprises a Paging Response message (col. 6, lines 27-35)).

Regarding claim 9, the wireless network as set forth in Claim 7, wherein Cleveland discloses said mobile switching center responds to said fourth message by transmitting a fifth message to said first base station, said fifth message containing said IP address of said second base station and a mobile identifier value associated with said destination mobile station (section 0072).

Regarding claim 10, the wireless network as set forth in Claim 9, wherein Cleveland discloses said fifth message comprises an Assignment Request message containing said IP address of said second base station and said mobile identifier value (section 0071-0073, 0081).

Regarding claim 11, the wireless network as set forth in Claim 9, wherein Cleveland discloses said first base station responds to said fifth message by using

said IP address of said second base station to establish a packet data bearer connection to said second base station via said local IP network (section 0071-0073, 0081).

Regarding claim 12, the wireless network as set forth in Claim 11, wherein Alperovich discloses said first base station transmits said mobile identifier of said destination mobile station to said second base station in order to identify data packets from said source mobile station that are directed to said destination mobile station (col. 5, lines 2-42).

Regarding claim 19, the method as set forth in Claim 17, wherein Alperovich discloses the step of transmitting a fourth message from the second base station to the mobile switching center in response to the third message (col. 6, lines 27-35).

Alperovich in view of Suzuki do not disclose said fourth message containing an IP address of said second base station on said local IP network.

Cleveland discloses a wireless network (Fig. 1; Fig. 5) for providing a packet data call connection between a source mobile station (MS) and a destination mobile station (MS) (Fig. 5, 111) in a coverage area of said wireless network, said wireless network comprising:  
a second base station (Fig. 5, 101) capable of wirelessly communicating with  
said destination mobile station (Fig. 5, 111); and  
a mobile switching center (Fig. 5, MSC); receiving a first message from said source mobile station requesting an MS-MS packet data call connection to said destination mobile station (section 0026; 0068).

The step of transmitting a second message to said mobile switching center, said second message indicating that said MS-MS packet data call connection to said destination mobile station is requested (section 0068).

The step of transmitting a third message from the mobile switching center to the second base station in response to the second message, said third message indicating that said MS-MS packet data call connection is requested (section 0068-0069).

The step of transmitting a fourth message from the second base station to the mobile switching center in response to the third message, said fourth message containing an IP address of said second base station on said local IP network (section 0070-0072).

It would have been obvious to one of the ordinary skill in the art at the time the invention was made to modify the method of Alperovich in view of Suzuki to include said fourth message containing an IP address of said second base station on said local IP network including as taught by Cleveland. One of ordinary skill in the art would have been lead to make such a modification to identify an IP address of said second base station that is a node on the IP network.

Regarding claims 20-23, please see the rejections to claims 8-11 above, respectively, to reject claims 20-23.

### ***Conclusion***

7. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

8. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. See PTO-892 Form.

9. Any response to this action should be mailed to:

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**Or faxed to:**

(571) 273-8300 (for formal communications intended for entry)

**Or call:**

(571) 272-2600 (for customer service assistance)

10. Any inquiry concerning this communication or earlier communications from the examiner should be directed to LISA HASHEM whose telephone number is (571)272-7542. The examiner can normally be reached on M-F 8:30-5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Fan Tsang can be reached on (571) 272-7547. Any inquiry of a general nature or

Art Unit: 2614

relating to the status of this application or proceeding should be directed to the Group receptionist whose telephone number is (571) 272-2600.

11. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

/Fan Tsang/  
Supervisory Patent Examiner, Art Unit 2614

/Lisa Hashem/  
Examiner, Art Unit 2614  
March 27, 2008